

Архангельск (8182)63-90-72  
 Астрахань (8512)99-46-04  
 Барнаул (3852)73-04-60  
 Белгород (4722)40-23-64  
 Брянск (4832)59-03-52  
 Владивосток (423)249-28-31  
 Волгоград (844)278-03-48  
 Вологда (8172)26-41-59  
 Воронеж (473)204-51-73  
 Екатеринбург (343)384-55-89  
 Иваново (4932)77-34-06

Ижевск (3412)26-03-58  
 Иркутск (395)279-98-46  
 Казань (843)206-01-48  
 Калининград (4012)72-03-81  
 Калуга (4842)92-23-67  
 Кемерово (3842)65-04-62  
 Киров (8332)68-02-04  
 Краснодар (861)203-40-90  
 Красноярск (391)204-63-61  
 Курск (4712)77-13-04  
 Липецк (4742)52-20-81

Киргизия (996)312-96-26-47

Магнитогорск (3519)55-03-13  
 Москва (495)268-04-70  
 Мурманск (8152)59-64-93  
 Набережные Челны (8552)20-53-41  
 Нижний Новгород (831)429-08-12  
 Новокузнецк (3843)20-46-81  
 Новосибирск (383)227-86-73  
 Омск (3812)21-46-40  
 Орел (4862)44-53-42  
 Оренбург (3532)37-68-04  
 Пенза (8412)22-31-16

Казахстан (7273)495-231

Пермь (342)205-81-47  
 Ростов-на-Дону (863)308-18-15  
 Рязань (4912)46-61-64  
 Самара (846)206-03-16  
 Санкт-Петербург (812)309-46-40  
 Саратов (845)249-38-78  
 Севастополь (8692)22-31-93  
 Симферополь (3652)67-13-56  
 Смоленск (4812)29-41-54  
 Сочи (862)225-72-31  
 Ставрополь (8652)20-65-13

Таджикистан (992)427-82-92-69

Сургут (3462)77-98-35  
 Тверь (4822)63-31-35  
 Томск (3822)98-41-53  
 Тула (4872)74-02-29  
 Тюмень (3452)66-21-18  
 Ульяновск (8422)24-23-59  
 Уфа (347)229-48-12  
 Хабаровск (4212)92-98-04  
 Челябинск (351)202-03-61  
 Череповец (8202)49-02-64  
 Ярославль (4852)69-52-93

Единый адрес для всех регионов: [chy@nt-rt.ru](mailto:chy@nt-rt.ru) || <https://cybrotech.nt-rt.ru/>

## Панель оператора OP-5



IEX-2 module, operator panel  
 LCD display 2×20 characters, white/blue  
 temperature, humidity and light sensor  
 IR receiver, beeper  
 1 temperature sensor input  
 1 switch/potentiometer input


### Technical specifications

|                         |  |
|-------------------------|--|
| Display                 | LCD 2x20 characters  |
| Characters size         | 3x5mm  |
| Keys                    | 5 keys, audible press feedback, adjustable   |
| Backlight               | blue LED, adjustable 0..100%   |
| IR receiver             | RC5 36kHz, receiving distance 5m   |
| Input type              | dry contact, internal pull-up 12V 2mA<br>analog input 0..10V (10 bit, 0..1023)   |
| Temperature measurement | range: 0°C to +50°C<br>error: ±0.5°C typ. (0°C to +50°C, backlight at 20%)<br>±2°C max. (0°C to +50°C)<br>resolution: 0.1°C (12 bit)<br>readout: 0.1°C (254 equals 25.4°C) |
| Humidity measurement    | range: 0..100% rh, non-condensing  |

|                             |  |
|-----------------------------|--|
|                             | error: $\pm 2\%$ rh @ 25°C                 |
|                             | response time 15s                          |
|                             | stability $\pm 1\%$ rh @ 50% rh in 5 years |
|                             | resolution 1% (7 bit)                      |
|                             | readout 1% rh (45 equals 45% rh)           |
| External temperature sensor | ES-P, ES-B or ES-W                         |
| Power supply                | 24V (18..28V), 50mA                        |
| Degree of protection        | IP20                                       |
| Operating conditions        | 0..50°C, 0..85% rh non-condensing          |
| Storage temperature         | -20..75°C                                  |
| Mounting                    | wall surface                               |
| Dimensions                  | 136x96x25mm                                |
| Weight                      | 420g                                       |
| Level of ambient pollution  | 2  |
| Standards                   | EN 60730-1                                 |

### Order code

|                |   |
|----------------|---|
| OP-5-T-IW      | temperature measurement                                   |
| OP-5C-T-IW     | cyrillic characters, temperature measurement              |
| OP-5-TH-IW     | temperature and humidity measurement                      |
| OP-5C-TH-IW    | cyrillic characters, temperature and humidity measurement |
| OP-5-IW-CUSTOM | custom front panel and housing color                      |



## По вопросам продажи и поддержки обращайтесь:

**Архангельск** (8182)63-90-72  
**Астрахань** (8512)99-46-04  
**Барнаул** (3852)73-04-60  
**Белгород** (4722)40-23-64  
**Брянск** (4832)59-03-52  
**Владивосток** (423)249-28-31  
**Волгоград** (844)278-03-48  
**Вологда** (8172)26-41-59  
**Воронеж** (473)204-51-73  
**Екатеринбург** (343)384-55-89  
**Иваново** (4932)77-34-06

**Ижевск** (3412)26-03-58  
**Иркутск** (395)279-98-46  
**Казань** (843)206-01-48  
**Калининград** (4012)72-03-81  
**Калуга** (4842)92-23-67  
**Кемерово** (3842)65-04-62  
**Киров** (8332)68-02-04  
**Краснодар** (861)203-40-90  
**Красноярск** (391)204-63-61  
**Курск** (4712)77-13-04  
**Липецк** (4742)52-20-81

**Киргизия** (996)312-96-26-47

**Магнитогорск** (3519)55-03-13  
**Москва** (495)268-04-70  
**Мурманск** (8152)59-64-93  
**Набережные Челны** (8552)20-53-41  
**Нижегород** (831)429-08-12  
**Новокузнецк** (3843)20-46-81  
**Новосибирск** (383)227-86-73  
**Омск** (3812)21-46-40  
**Орел** (4862)44-53-42  
**Оренбург** (3532)37-68-04  
**Пенза** (8412)22-31-16

**Казахстан** (7273)495-231

**Пермь** (342)205-81-47  
**Ростов-на-Дону** (863)308-18-15  
**Рязань** (4912)46-61-64  
**Самара** (846)206-03-16  
**Санкт-Петербург** (812)309-46-40  
**Саратов** (845)249-38-78  
**Севастополь** (8692)22-31-93  
**Симферополь** (3652)67-13-56  
**Смоленск** (4812)29-41-54  
**Сочи** (862)225-72-31  
**Ставрополь** (8652)20-65-13

**Таджикистан** (992)427-82-92-69

**Сургут** (3462)77-98-35  
**Тверь** (4822)63-31-35  
**Томск** (3822)98-41-53  
**Тула** (4872)74-02-29  
**Тюмень** (3452)66-21-18  
**Ульяновск** (8422)24-23-59  
**Уфа** (347)229-48-12  
**Хабаровск** (4212)92-98-04  
**Челябинск** (351)202-03-61  
**Череповец** (8202)49-02-64  
**Ярославль** (4852)69-52-93

Единый адрес для всех регионов: [chy@nt-rt.ru](mailto:chy@nt-rt.ru) || <https://cybrotech.nt-rt.ru/>